SAFETY DATA SHEET

1. Identification

Product identifier JIG1611 GARAGE DOOR LUBE 311G

Other means of identification

Product code 1000023921 Recommended use LUBRICANT Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

JIG-A-LOO INC. Company name

Address 316-2 KNOWLTON RD.

KNOWLTON, QC J0E 1V0

Canada

Telephone General Assistance 1-855-544-2566

Not available. E-mail

Emergency - US 1-866-836-8855 **Emergency phone number**

Emergency - Outside US 1-952-852-4646

Not available. **Supplier**

2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1 **Health hazards** Carcinogenicity Category 2

Label elements



Signal word Danger

Hazard statement Extremely flammable aerosol. Suspected of causing cancer.

Precautionary statement

Obtain special instructions before use. Do not handle until all safety precautions have been read Prevention

and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention. Response

Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. **Storage Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Methylene Chloride		75-09-2	55.971
Perchloroethylene		127-18-4	20.866

Product name: JIG1611 GARAGE DOOR LUBE 311G SDS CANADA 1/9

Chemical name	Common name and synonyms	CAS number	%
Isobutane		75-28-5	10.06
Propane		74-98-6	9.94
Other components below	reportable levels		3.163

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

If symptoms develop move victim to fresh air. Get medical attention if symptoms persist. Inhalation Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion Dizziness. Nausea.

Most important

symptoms/effects, acute and

delaved Indication of immediate

medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. **General information**

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods

Not available.

Do not use water jet as an extinguisher, as this will spread the fire.

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

General fire hazards Extremely flammable aerosol.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Product name: JIG1611 GARAGE DOOR LUBE 311G

Level 1 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH	Threshold	Limit Values
------------------	-----------	--------------

Components	Туре	Value
sobutane (CAS 75-28-5)	STEL	1000 ppm
Methylene Chloride (CAS 75-09-2)	TWA	50 ppm
Perchloroethylene (CAS 127-18-4)	STEL	100 ppm
127-10-4)	TWA	25 ppm
Canada. Alberta OELs (Occupatio	onal Health & Safety Code, Sch	nedule 1, Table 2)
Components	Туре	Value
Methylene Chloride (CAS 75-09-2)	TWA	174 mg/m3
Development to the COAO	OTEL	50 ppm
Perchloroethylene (CAS 127-18-4)	STEL	678 mg/m3
12. 10 1)		100 ppm
	TWA	170 mg/m3
		25 ppm
Propane (CAS 74-98-6)	TWA	1000 ppm
Canada. British Columbia OELs.	(Occupational Exposure Limit	s for Chemical Substances, Occupational Health and
Safety Regulation 296/97, as ame Components	-	Value
·	Туре	
Methylene Chloride (CAS 75-09-2)	TWA	25 ppm
Perchloroethylene (CAS	STEL	100 ppm
127-18-4)		
127-18-4)	TWA	25 ppm
Canada. Manitoba OELs (Reg. 21		
Canada. Manitoba OELs (Reg. 21 Components	7/2006, The Workplace Safety Type	And Health Act) Value
Canada. Manitoba OELs (Reg. 21 Components sobutane (CAS 75-28-5) Methylene Chloride (CAS	7/2006, The Workplace Safety	And Health Act)
Canada. Manitoba OELs (Reg. 21 Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS	7/2006, The Workplace Safety Type STEL	And Health Act) Value 1000 ppm
Canada. Manitoba OELs (Reg. 21 Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2)	7/2006, The Workplace Safety Type STEL TWA	And Health Act) Value 1000 ppm 50 ppm
Canada. Manitoba OELs (Reg. 21 Components Sobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4)	7/2006, The Workplace Safety Type STEL TWA STEL TWA	And Health Act) Value 1000 ppm 50 ppm 100 ppm 25 ppm
Canada. Manitoba OELs (Reg. 21 Components Sobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Ontario OELs. (Control of	7/2006, The Workplace Safety Type STEL TWA STEL TWA	And Health Act) Value 1000 ppm 50 ppm 100 ppm 25 ppm
Canada. Manitoba OELs (Reg. 21 Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS	7/2006, The Workplace Safety Type STEL TWA STEL TWA TWA of Exposure to Biological or Cl	And Health Act) Value 1000 ppm 50 ppm 100 ppm 25 ppm hemical Agents)
Canada. Manitoba OELs (Reg. 21 Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Ontario OELs. (Control of Components	7/2006, The Workplace Safety Type STEL TWA STEL TWA TWA of Exposure to Biological or Cl Type	And Health Act) Value 1000 ppm 50 ppm 100 ppm 25 ppm hemical Agents) Value
Canada. Manitoba OELs (Reg. 21 Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Ontario OELs. (Control of Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS	7/2006, The Workplace Safety Type STEL TWA STEL TWA of Exposure to Biological or Cl Type TWA TWA STEL STEL STEL TWA TWA TWA STEL	And Health Act) Value 1000 ppm 50 ppm 100 ppm 25 ppm hemical Agents) Value 800 ppm
Canada. Manitoba OELs (Reg. 21 Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Ontario OELs. (Control of Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS	7/2006, The Workplace Safety Type STEL TWA STEL TWA of Exposure to Biological or Cl Type TWA TWA	And Health Act) Value 1000 ppm 50 ppm 100 ppm 25 ppm hemical Agents) Value 800 ppm 50 ppm
Canada. Manitoba OELs (Reg. 21 Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Ontario OELs. (Control of Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Quebec OELs. (Ministry)	7/2006, The Workplace Safety Type STEL TWA STEL TWA of Exposure to Biological or CI Type TWA TWA STEL TWA TWA TWA TWA TWA TWA	And Health Act) Value 1000 ppm 50 ppm 100 ppm 25 ppm hemical Agents) Value 800 ppm 50 ppm 100 ppm 25 ppm 100 ppm
Canada. Manitoba OELs (Reg. 21 Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Ontario OELs. (Control of Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4)	7/2006, The Workplace Safety Type STEL TWA STEL TWA of Exposure to Biological or CI Type TWA TWA STEL TWA TWA TWA TWA TWA TWA	And Health Act) Value 1000 ppm 50 ppm 100 ppm 25 ppm hemical Agents) Value 800 ppm 50 ppm 100 ppm 25 ppm
Canada. Manitoba OELs (Reg. 21 Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Ontario OELs. (Control of Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Quebec OELs. (Ministry)	7/2006, The Workplace Safety Type STEL TWA STEL TWA of Exposure to Biological or Cl Type TWA TWA STEL TWA TWA TWA STEL TWA Of Labor - Regulation Respect	And Health Act) Value 1000 ppm 50 ppm 100 ppm 25 ppm hemical Agents) Value 800 ppm 50 ppm 100 ppm 25 ppm 100 ppm
Canada. Manitoba OELs (Reg. 21 Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Ontario OELs. (Control of Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Quebec OELs. (Ministry Components Methylene Chloride (CAS	7/2006, The Workplace Safety Type STEL TWA STEL TWA of Exposure to Biological or CI Type TWA TWA STEL TWA OF TWA TWA STEL TWA STEL TWA TWA STEL TWA TWA TWA STEL TWA TWA TWA TWA STEL TWA TWA TWA TWA TWA TWA TWA TW	And Health Act) Value 1000 ppm 50 ppm 100 ppm 25 ppm hemical Agents) Value 800 ppm 50 ppm 100 ppm 25 ppm 100 ppm

Product name: JIG1611 GARAGE DOOR LUBE 311G

SDS CANADA

Product #: 1000023921 Version #: 01 Issue date: 03-08-2017

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Туре	Value
		100 ppm
	TWA	170 mg/m3
		25 ppm
Propane (CAS 74-98-6)	TWA	1800 mg/m3
		1000 ppm

Biological limit values

ACGIH Biological	Exposure	Indices
-------------------------	----------	---------

Components	Value	Determinant	Specimen	Sampling Time
Methylene Chloride (CAS 75-09-2)	0.3 mg/l	Dichlorometha ne	Urine	*
Perchloroethylene (CAS 127-18-4)	0.5 mg/l	Tetrachloroethy lene	Blood	*
	3 ppm	Tetrachloroethy lene	End-exhaled air	*

^{* -} For sampling details, please see the source document.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Use of an impervious apron is recommended.

Respiratory protection If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an

air-supplied respirator.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Gas.
Form Aerosol.
Color Not available.
Odor Not available.
Odor threshold Not available.
PH Not available.
Melting point/freezing point Not available.

Initial boiling point and boiling

range

197.02 °F (91.68 °C) estimated

Flash point -99.4 °F (-73.0 °C) PROPELLANT estimated

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

10 % estimated

(%)

Flammability limit - upper

17.1 % estimated

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 1045.82 °F (563.23 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Specific gravity 0.454 estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Nitrates. Fluorine. Chlorine.

Hazardous decomposition

products

Hydrogen chloride.

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Dizziness. Nausea.

Information on toxicological effects

Acute toxicity

Components Species Test Results

Isobutane (CAS 75-28-5)

Acute Inhalation

LC50 Mouse 1237 mg/l, 120 Minutes

52 %, 120 Minutes

Rat 1355 mg/l

Methylene Chloride (CAS 75-09-2)

Acute Dermal

LD50 Rat > 2000 mg/kg, Days

Inhalation

Vapor

LC50 Mouse 49000 mg/m3, 7 Hours

Product name: JIG1611 GARAGE DOOR LUBE 311G SDS CANADA

Components **Species Test Results** Oral LD50 Rat > 2000 mg/kg Perchloroethylene (CAS 127-18-4) Acute Inhalation LC50 Dog; Mouse; Rabbit; Rat 3000 ppm Oral LD50 Cat; Dog; Mouse; Rabbit; Rat > 1500 mg/kg Rat 3005 mg/kg Propane (CAS 74-98-6) **Acute** Inhalation LC50 Mouse 1237 mg/l, 120 Minutes 52 %, 120 Minutes

> 1355 mg/l 658 mg/l/4h

Rat

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer.

ACGIH Carcinogens

Methylene Chloride (CAS 75-09-2) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Perchloroethylene (CAS 127-18-4) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Canada - Manitoba OELs: carcinogenicity

DICHLOROMETHANE (CAS 75-09-2) Confirmed animal carcinogen with unknown relevance to humans. TETRACHLOROETHYLENE (CAS 127-18-4) Confirmed animal carcinogen with unknown relevance to humans.

Canada - Quebec OELs: Carcinogen category

Methylene Chloride (CAS 75-09-2) Suspected carcinogenic effect in humans. Perchloroethylene (CAS 127-18-4) Detected carcinogenic effect in animals.

IARC Monographs. Overall Evaluation of Carcinogenicity

Methylene Chloride (CAS 75-09-2) 2A Probably carcinogenic to humans. Perchloroethylene (CAS 127-18-4) 2A Probably carcinogenic to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard**

Chronic effects Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Product name: JIG1611 GARAGE DOOR LUBE 311G SDS CANADA

^{*} Estimates for product may be based on additional component data not shown.

500.0001 mg/L, 72 Hours
1689.5 mg/L, 48 Hours
1250 mg/l, 48 hours
elas) 140.8 - 277.8 mg/l, 96 hours
7.55 mg/L, 48 Hours
6.1 - 9 mg/l, 48 hours
4.82 mg/l, 96 hours
е

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Isobutane2.76Methylene Chloride1.25Perchloroethylene3.4Propane2.36

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

14. Transport information

TDG

UN number UN1950

UN proper shipping name AEROSOLS, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk -

Packing group Not applicable.

Environmental hazards D

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity.

IATA

UN number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es)

Class 2.1

Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Environmental hazards No. **ERG Code** 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Not applicable.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1950
UN proper shipping name AEROSOLS
Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Environmental hazards

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

IATA; IMDG; TDG



15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Product name: JIG1611 GARAGE DOOR LUBE 311G
Product #: 1000023921 Version #: 01 Issue date: 03-08-2017

Basel Convention

Not applicable.

Country(s) or region

International Inventories

Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

Inventory name

16. Other Information

Issue date 03-08-2017

Version # 01

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Product name: JIG1611 GARAGE DOOR LUBE 311G SDS CANADA Product #: 1000023921 Version #: 01 Issue date: 03-08-2017

On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).