

Revision Date 25-Feb-2020

# SAFETY DATA SHEET

Revision Number 4

# **1. IDENTIFICATION**

Product Identifier Product Name

AF-0032 AF-0032 DURAPRO NATURAL PARQUET ADHESIVE / DURAPRO ADHÉSIF PARQUETERIE NATURELLE

Other means of identification Product Code(s) Alternate Product Code(s) Product Type

20-051-00 AF0032-015, AF0032-378, AF0032-CGT Adhesive.

Recommended use of the chemical and restrictions on useRecommended UseFor industrial use only.Uses advised againstNo information available

Details of the supplier of the safety data sheet Supplier Address Dural 550 Marshall Ave. Dorval, QC Canada

Company Phone Number 800-361-2340

Emergency telephone number Emergency Telephone Number

CANUTEC 613-996-6666

# 2. HAZARDS IDENTIFICATION

#### **Classification**

H9P 1C9

#### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### WHMIS Statement

Classification complies with Canadian Hazardous Products Regulations (WHMIS 2015).

Skin sensitization	Category 1A
Carcinogenicity	Category 1A


#### Label elements

**Emergency Overview** 

Signal Word Danger

#### Hazard Statements

May cause an allergic skin reaction. May cause cancer.



#### **Precautionary Statements - Prevention**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace.

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention. Specific treatment (see Section 4 on this SDS). In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. IF ON SKIN: Wash with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### **Precautionary Statements - Storage**

Keep from freezing.

Precautionary Statements - Disposal

Dispose of in accordance with federal, state and local regulations.

#### Hazards not otherwise classified (HNOC)

None under normal processing.

#### Other Information

Unknown acute toxicity

0.15405115 % of the mixture consists of ingredient(s) of unknown toxicity

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Substance**

Components	CAS No.	Weight-%	Trade Secret
Kaolin	1332-58-7	10 - 30	*
Limestone	1317-65-3	5 - 13	*
1,2-Propylene glycol	57-55-6	1 - 5	*
Quartz	14808-60-7	0.1 - 1.0	*
Titanium dioxide	13463-67-7	0.1 - 1.0	*
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone	55965-84-9	< 0.1%	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water. Take off contaminated clothing and wash before reuse. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Remove to fresh air.
Ingestion	None under normal use conditions. Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.
Notes to Physician	Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

#### Unsuitable Extinguishing Media

Specific test data for the substance or mixture is not available.

#### Specific Hazards Arising from the Chemical

Do not allow run-off from fire-fighting to enter drains or water courses. Dried product is capable of burning. Sealed containers may rupture when heated.

## Hazardous Combustion Products

Carbon oxides, Nitrogen oxides (NOx)

Explosion Data Sensitivity to mechanical impact None. Sensitivity to static discharge None.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protection equipment. Ensure adequate ventilation. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.			
Environmental precautions				
Environmental precautions	See Section 12 for additional Ecological Information.			
Methods and material for containme	ent and cleaning up			
Methods for Cleaning Up Pick up and transfer to properly labeled containers. Prevent environmental discharge consistent with regulatory requirements. Disposal should be in accordance with applicable regional, national and local laws and regulations.				
	7. HANDLING AND STORAGE			
Precautions for safe handling				

# Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes, skin and clothing. Conditions for safe storage, including any incompatibilities Keep containers tightly closed in a cool, well-ventilated place. Keep from freezing. Incompatible Products WATER REACTIVE MATERIALS.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

# Exposure Guidelines

Components	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA - WEEL
Kaolin	TWA: 2 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-
1332-58-7	_	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	
		(vacated) TWA: 10 mg/m <sup>3</sup>	-	
		(vacated) TWA: 5 mg/m <sup>3</sup>		
Limestone	-	TWA: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-

1317-65-3		TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 15 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	
1,2-Propylene glycol 57-55-6	TWA: 10 mg/m <sup>3</sup>	-	-	10 mg/m³ TWA
Quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup>	TWA: 50 µg/m <sup>3</sup> (vacated) TWA: 0.1 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	-
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> (vacated) TWA: 10 mg/m <sup>3</sup>	IDLH: 5000 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup> TWA: 0.3 mg/m <sup>3</sup>	-

#### Appropriate engineering controls

Engineering Measures	Showers
	Eyewash stations
	Ventilation systems.

# Individual protection measures, such as personal protective equipment

Eye/Face Protection	Avoid contact with eyes. Eye protection.
Skin and Body Protection	Wear protective gloves/protective clothing.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical State Appearance Color	Liquid Yellow Yellow	Odor Odor Threshold	Mild No data available
<u>Property</u> pH Melting point / freezing point Boiling Point / Boiling Range Flash Point	<u>Values</u> 7 No information available Specific test data for the substance or mixture is not available Specific test data for the substance or	Remarks • Method Range: 6.5 - 7.5	
Evaporation Rate Flammability (solid, gas) Flammability Limit in Air	mixture is not available No information available No information available		
Upper Explosive Limits Lower Explosive Limits Vapor pressure	Specific test data for the substance or mixture is not available Specific test data for the substance or mixture is not available Negligible		
Vapor Density	Specific test data for the substance or mixture is not available		
Specific Gravity Water Solubility Solubility in other solvents	1.21 Miscible with water Specific test data for the substance or mixture is not available		
Partition coefficient Autoignition Temperature Decomposition Temperature Kinematic viscosity Dynamic viscosity Explosive Properties Oxidizing Properties	No information available No information available No information available No information available 18,000 - 22,000 cps No information available No information available		

#### **Other Information**

# Softening Point Solids

Specific test data for the substance or mixture is not available 49.0 - 51.0 %

# **10. STABILITY AND REACTIVITY**

#### Reactivity

None under normal processing <u>Chemical stability</u> Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

## Conditions to Avoid

Excessive heat.

#### Incompatible Materials WATER REACTIVE MATERIALS.

Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx).

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye Contact	Contact with eyes may cause irritation.
Skin Contact	Repeated exposure may cause skin dryness or cracking.
Ingestion	Not an expected route of exposure. May be harmful if swallowed.

Components	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
1,2-Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
5-Chloro-2-methyl-3(2H)-isothiazolo ne, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	= 53 mg/kg (Rat) = 481 mg/kg ( Rat) 232 - 249 mg/kg (Rat) = 120 mg/kg (Rat)		= 1.23 mg/L (Rat)4 h = 0.11 mg/L (Rat)4 h

#### Information on toxicological effects

#### Symptoms

Specific test data for the substance or mixture is not available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Mutagenic Effects Carcinogenicity	May cause sensitization in susceptible persons. Specific test data for the substance or mixture is not available. The table below indicates whether each agency has listed any ingredient as a carcinogen			
Components	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	Х
Titanium dioxide 13463-67-7	-	Group 2B	-	Х
Reproductive Toxicity STOT - single exposure STOT - repeated exposure Aspiration Hazard	No information available No information available. No information available. No information available.			

#### Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	24,117.90
ATEmix (dermal)	22,340.30

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### 0.15405 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Components	Algae/aquatic plants	Toxicity to Fish	Daphnia Magna (Water Flea)
1,2-Propylene glycol - 57-55-6 19000: 96 h Pseudokirchneriella		41 - 47: 96 h Oncorhynchus mykiss	
	subcapitata mg/L EC50	mL/L LC50 static 51600: 96 h	EC50 1000: 48 h Daphnia magna
		Oncorhynchus mykiss mg/L LC50	mg/L EC50 Static
		static 710: 96 h Pimephales	
		promelas mg/L LC50 51400: 96 h	
		Pimephales promelas mg/L LC50	
		static	
5-Chloro-2-methyl-3(2H)-isothiazolo	0.11 - 0.16: 72 h	1.6: 96 h Oncorhynchus mykiss	0.71 - 0.99: 48 h Daphnia magna
ne, mixture with	Pseudokirchneriella subcapitata	mg/L LC50 semi-static	mg/L EC50 Static 0.12 - 0.3: 48 h
2-methyl-3(2H)-isothiazolone -	mg/L EC50 static 0.03 - 0.13: 96 h		Daphnia magna mg/L EC50 Flow
55965-84-9	Pseudokirchneriella subcapitata		through 4.71: 48 h Daphnia magna
	mg/L EC50 static 0.31: 120 h		mg/L EC50
	Anabaena flos-aquae mg/L EC50		

# Persistence and Degradability

No information available.

#### **Bioaccumulation/Accumulation**

No information available.

Components	log Pow
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with	-0.71 - 0.75
2-methyl-3(2H)-isothiazolone	
55965-84-9	

#### Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

**Disposal Methods** This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

#### Contaminated Packaging Do not reuse empty containers.

# **14. TRANSPORT INFORMATION**

DOT	Not regulated.	
IATA	Not regulated.	
IMDG/IMO	Not regulated.	

# **15. REGULATORY INFORMATION**

TSCA 8(b) DSL All components are listed or exempt All components are listed or exempt

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. None present above the reporting threshold.

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Components	Weight-%	HAPS data
Methyl alcohol	< 0.1%	Present
67-56-1		
Vinyl acetate	< 0.1%	Present
108-05-4		
Formaldehyde	< 0.1%	Present
50-00-0		
Ethylene glycol	< 0.1%	Present
107-21-1		
Manganese oxide (MnO2)	< 0.1%	
1313-13-9		
Acrylic acid	< 0.1%	Present
79-10-7		
Acetaldehyde	< 0.1%	Present
75-07-0		
1,4-Dioxane	< 0.1%	Present
123-91-1		
Ethylene oxide	< 0.1%	Present
75-21-8		

#### CWA (Clean Water Act)

See information supplied by the manufacturer

#### **CERCLA**

See information supplied by the manufacturer

#### US State Regulations

#### California Proposition 65

WARNING: This product can expose you to one or more chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. See section 3 of the SDS for Proposition 65 substances present at or above 0.1 weight percent. Please contact the Regulatory Department if additional information is required.

#### U.S. EPA Label Information

16. OTHER	INFORMATION, INCI	LUDING DATE		PREPARATION OF THE	LAST REVISION
<u>NFPA</u>	Health Hazard 2	Flammability	0	Instability 0	Physical and Chemical
HMIS_	Health Hazard 2*	Flammability	0	Physical hazards 0	Hazards - Personal Precautions X

40. OTHER INCORPORTION, INCLUDING RATE OF RREPARATION OF THE LAOT REVIO

Prepared By Revision Date Verified by Quality Control Department 25-Feb-2020

Revision Note No information available Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet